


Bollworm – Southeast – Cotton


0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



7 Responses


Tobacco Budworm – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




Beet Armyworm – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



Fall Armyworm – Southeast – Cotton


0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



4 Responses

Soybean Looper – Southeast – Cotton


0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



4 Responses

Cabbage Looper – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




2 Responses

Mean Rating

European Corn Borer – Southeast – Cotton


0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



2 Responses

Southern Armyworm – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




2 Responses

Mean Rating

Saltmarsh Caterpillar – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




2 Responses

Mean Rating

Cutworms – Southeast – Cotton


0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



4 Responses

Tarnished Plant Bug – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




4 Responses

Mean Rating


Cotton Fleahopper – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



Green/Southern Green Stink Bug – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




5 Responses

Mean Rating

Brown Stinkbugs – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




6 Responses

Mean Rating


Leaf-Footed Bugs – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



Cotton Aphid – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




3 Responses

Mean Rating


Spider Mites – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



Thrips – Southeast – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



6 Responses