


# European Corn Borer– Southern U.S. – Corn

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




4 Responses

Mean Rating


# Southwestern Corn Borer– Southern U.S. – Corn

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



# Sugarcane Borer– Southern U.S. – Corn

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




4 Responses

Mean Rating


# Corn Earworm in Whorl – Southern U.S. – Corn

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




# Corn Earworm in Ear– Southern U.S. – Corn

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



# Cutworms– Southern U.S. – Corn


0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



5 Responses

# Chinch Bugs– Southern U.S. – Corn


0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



6 Responses

# Sugarcane Beetle – Southern U.S. – Corn

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



6 Responses



# Stinkbugs – Beltwide – Corn

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control

