

Table 1. Fungicides approved in Mississippi for yield loss prevention as a result of frog-eye leaf spot.

| Trade Name | Active Ingredient | FRAC Code | Company | Application rate | Pre-harvest interval | Rainfast within | Product restrictions (fl oz/a/season) | Chemical Class |
|-------------------------------|------------------------------------|-----------|--------------------------|--|----------------------|-----------------|--|------------------------|
| Preventative: | | | | | | | | NO MORE THAN |
| Aftershock | fluoxastrobin | 11 | Loveland Products, Inc. | 2 – 5.7 fl oz/A | No later than R5 | ?? | 11.4 | Strobilurin |
| Approach | picoxystrobin | 11 | DuPont | 6 – 12 fl oz/A | 14 days | 1 hour | 24 | Strobilurin |
| Evito 480 SC | fluoxastrobin | 11 | Arysta LifeScience | 2 - 5.7 fl oz/a | No later than R5 | ?? | 11.4 | Strobilurin |
| Gem RC | trifloxystrobin | 11 | Bayer | 3 – 3.5 fl oz/A | 21 days | ?? | 9.4 | Strobilurin |
| ² Headline EC | pyraclostrobin | 11 | BASF | 6 - 12 fl oz/a | 21 days | ?? | 24 | Strobilurin |
| Headline SC | pyraclostrobin | 11 | BASF | 6 – 12 fl oz/a | 21 days | ?? | 24 | Strobilurin |
| Quadris | azoxystrobin | 11 | Syngenta | 6 – 15.5 fl oz/a | 14 days | ?? | 92.3 | Strobilurin |
| Satori | azoxystrobin | 11 | Loveland Products, Inc. | 6 – 15.5 fl oz/a | 14 days | ?? | 92.3 | Strobilurin |
| Curative/Penetrant: | | | | | | | | |
| Alto 100 SL | cyproconazole | 3 | Syngenta | 4.0 - 5.5 fl oz/a | 30 days | ?? | 11 | Triazole |
| Bumper 41.8 EC | propiconazole | 3 | Makhteshim-Agan | 4 - 6 fl oz/a | No later than R6 | ?? | 12 | Triazole |
| Domark 230 ME | tetraconazole | 3 | Valent U.S.A. | 4 - 5 fl oz/a | Apply before R6 | 2 hours | 10 | Triazole |
| Proline 480 SC | prothioconazole | 3 | Bayer | 2.5 - 3.0 fl oz/a | 21 days | ?? | 12.9 | Triazole |
| ^Y Tilt | propiconazole | 3 | Syngenta | 4 - 6 fl oz/a | Apply up to R6 | ?? | 12 | Triazole |
| Topguard | flutriafol | 3 | Cheminova | 7 -14 fl oz/a | 21 days | 2 hours | 28 | Triazole |
| Viathon | tebuconazole + potassium phosphite | 3 + 33 | Helena | 2 pt/a | 30 days | ?? | 4.3 pt/a/season | Triazole + phosphonate |
| Curative/Preventative: | | | | | | | | |
| Avaris | propiconazole + azoxystrobin | 3 + 11 | Helena | 14 - 20.5 fl oz/a | 21 days | ?? | 42 | Triazole + Strobilurin |
| Evito T | tebuconazole + fluoxastrobin | 3 + 11 | Arysta LifeScience | 4 – 6 fl oz/a | 30 days | ?? | 12 | Triazole + Strobilurin |
| Fortix | flutriafol + fluoxastrobin | 3 + 11 | Arysta + Cheminova | 5 – 6 fl oz/a | 21 – 30 days | ?? | 12 | Triazole + Strobilurin |
| Incognito 4.5F | thiophanate-methyl | 1 | Makhteshim-Agan | 10 – 20 fl oz/a | 21 days | ?? | | Thiophanate |
| Priaxor | fluxapyroxad + pyraclostrobin | 7 + 11 | BASF | 4 – 8 fl oz/a | 21 days | ?? | 16 | Amide + Strobilurin |
| Quadris Top | difenoconazole + azoxystrobin | 3 + 11 | Syngenta | 8 – 14 fl oz/a | 14 days | ?? | 26.5 | Triazole + Strobilurin |
| Quadris Top SB | difenoconazole + azoxystrobin | 3 + 11 | Syngenta | 8 – 14 fl oz/a | 14 days | ?? | 26.5 | Triazole + Strobilurin |
| Quadris Xtra | cyproconazole + azoxystrobin | 3 + 11 | Syngenta | 5 - 6.8 fl oz/a | 30 days | ?? | 13.6 | Triazole + Strobilurin |
| Stratego 250 EC | propiconazole + trifloxystrobin | 3 + 11 | Bayer | 10 fl oz/a | 21 days | ?? | 30 | Triazole + Strobilurin |
| Stratego YLD | prothioconazole + trifloxystrobin | 3 + 11 | Bayer | 4 – 4.65 fl oz/a | 21 days | ?? | 13.95 | Triazole + Strobilurin |
| Quilt | propiconazole + azoxystrobin | 3 + 11 | Syngenta | 14 - 20.5 fl oz/a | 21 days | ?? | 42 | Triazole + Strobilurin |
| Quilt Xcel | propiconazole + azoxystrobin | 3 + 11 | Syngenta | 10.5 - 21 fl oz/a | Apply up to R6 | ?? | 42 | Triazole + Strobilurin |
| Topsin M | thiophanate-methyl | 1 | United Phosphorous, Inc. | 0.5 to 1 lb/a | 21 days | ?? | 2 lbs/a/season | Thiophanate |
| Topsin XTR | thiophanate-methyl + tebuconazole | 1 + 3 | United Phosphorous, Inc. | 20 fl oz/a | 21 days | ?? | 1.4 lbs a.i. t-methyl 0.34 lb a.i. teb/a/year | Triazole + thiophanate |
| Preventative/Topical: | | | | | | | | |
| ^W Bravo Ultrex | chlorothalonil | M5 | Syngenta | 0.9 – 1.4 lbs/a (3 app.) 1.4 – 2.2 lbs/a (2 app.) | 42 days | ?? | 5.4 lbs/a/season | Chloronitrile |
| Bravo Weather Stik | chlorothalonil | M5 | Syngenta | 1.0 - 2.0 pt/a (3 app.) 1.5 - 2.25 pt/a (2 app.) | 42 days | ?? | 6 pints/a/season | Chloronitrile |
| Cuprofix Ultra 40 Disperss | basic copper sulfate | M1 | United Phosphorous | 1.25 – 2 lbs/a | -- | ?? | 11.85 lb/a/season | Copper |
| Cuproxtat | basic copper sulfate | M1 | Nufarm | 3.9 pts/a | -- | ?? | 23.4 pints/a/season | Copper |
| Echo 720 | chlorothalonil | M5 | Sipcam Agro | 1.0 – 2.0 pt/a (3 app.) 1.5 - 2.5 pt/a (2 app.) | 42 days | ?? | 4.5 lbs a.i./a/season | Chloronitrile |
| Echo 90DF | chlorothalonil | M5 | Sipcam Agro | 0.875 to 1.625 lb/a (3 app.) 1.25 - 2.0 lb/a (2 app.) | 42 days | ?? | 4.5 lbs a.i./a/season | Chloronitrile |
| Echo Zn | chlorothalonil | M5 | Sipcam Agro | 1.5 - 2.75 pints/a (3 app.) 2 - 3.5 pints/a (2 app.) | 42 days | ?? | 4.5 lbs a.i./a/season | Chloronitrile |
| Equus 500 Zn | chlorothalonil | M5 | Makhteshim-Agan | 1.5 – 2.75 pt/a (3 app.) 2.25 – 3.25 pt/a (2 app.) | 42 days | ?? | 8.5 pts/a/season | Chloronitrile |
| Equus 720 SST | chlorothalonil | M5 | Makhteshim-Agan | 1.0 - 2.0 pt/a (3 app.) 1.5 - 2.5 pt/a (2 app.) | 42 days | ?? | 8.5 pts/a/season | Chloronitrile |
| Equus DF | chlorothalonil | M5 | Makhteshim-Agan | 0.9 - 1.4 lb/a (3 app.) 0.9 - 1.4 lb/a (2 app.) | 42 days | ?? | 8.5 pts/a/season | Chloronitrile |

² Headline EC is the old formulation of Headline and may still be available for sale. Headline SC has taken its place.

^Y Additional products may contain propiconazole and may not be listed in this particular document.

^X Additional products may contain thiophanate-methyl and may not be listed in this particular document.

^W Note there may be several other products with a chlorothalonil label.