


Bollworm – Beltwide – Cotton




Tobacco Budworm – Beltwide – Cotton




Beet Armyworm – Beltwide – Cotton




Fall Armyworm – Beltwide – Cotton




Soybean Looper – Beltwide – Cotton




Cabbage Looper – Beltwide – Cotton




European Corn Borer – Beltwide – Cotton




Southern Armyworm – Beltwide – Cotton




Saltmarsh Caterpillar - Beltwide - Cotton



Cutworms – Beltwide – Cotton




Tarnished Plant Bug – Beltwide – Cotton



Western Tarnished Plant Bug – Beltwide – Cotton


0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



1 Response


Cotton Fleahopper – Beltwide – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control




6 Responses


Green/Southern Green Stink Bug – Beltwide – Cotton




Brown Stinkbugs – Beltwide – Cotton



Leaf-footed Bugs Bug – Beltwide – Cotton




Cotton Aphid – Beltwide – Cotton



Spider Mites – Beltwide – Cotton


0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



10 Responses

Thrips – Beltwide – Cotton

0 = No Control, 1 = Poor Control, 2 = Marginal Control, 3 = Fair Control, 4 = Good Control, 5 = Excellent Control



13 Responses