

# 2011 MSU Wheat Variety Suggestions

Based on yield performance in the MSU Wheat and Oat Variety Trials

## Varieties Adapted for the Delta

Variety	Maturity*	Straw Strength	Height	Test Weight
<b>Standards</b>				
Dyna Gro Baldwin	Late	Excellent	Med-Tall	Average
USG 3438	Medium	High	Medium	Low
Terral TV8861	Late	Medium	Medium	Average
USG 3201	Medium	High	Short	Excellent
Armor Ricochet	Med-Late	High	Very Short	Low
AGS 2060	Med-Early	Low	Very Tall	Excellent
Pioneer 26R87	Early	High	Medium	Excellent
AGS 2035	Early	Medium	Med-Tall	Average
Syngenta COKER 9553	Med-Early	Excellent	Medium	Excellent
USG 3555	Med-Early	High	Very Short	Low
USG 3295	Med-Early	High	Very Short	Low
Pioneer 26R22	Med-Late	Medium	Medium	Low
VA Jamestown	Early	High	Short	Average
Syngenta MAGNOLIA	Medium	High	Med-Tall	Average
<b>New (first year tested)</b>				
Progeny PGX10-5	Medium	High	Med-Tall	Low
Dixie Mcalister	Medium	Med-Low	Medium	Low
AgriMAXX 413	Medium	Med-Low	Medium	Average
AgriMAXX 415	Med-Late	Medium	Short	High

*\*Variety maturity is rated specifically for the Delta region relative to other varieties. Later maturing varieties are more likely to avoid freeze-damage and thus are generally better suited to northernmost regions, particularly if wheat is planted early. Early-maturing varieties are best suited for relatively late planting dates.*

Copyright 2011 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Mississippi State University does not discriminate on the basis of race, color, religion, national origin, sex, age, disability, or veteran status.



**MISSISSIPPI STATE**  
UNIVERSITY<sup>™</sup>  
**EXTENSION SERVICE**

# 2011 MSU Wheat Variety Suggestions

Based on yield performance in the MSU Wheat and Oat Variety Trials

## Varieties Adapted for North Mississippi

Variety	Maturity*	Straw Strength	Height	Test Weight
<b>Standards</b>				
USG 3438	Medium	High	Medium	Low
USG 3201	Medium	High	Short	Excellent
Armor Ricochet	Med-Late	High	Very Short	Low
Pioneer 26R87	Early	High	Medium	Excellent
Terral TV8861	Late	Medium	Medium	Average
Progeny 117	Medium	Low	Med-Tall	Low
Pioneer 26R15	Late	High	Medium	Low
Syngenta MAGNOLIA	Medium	High	Med-Tall	Average
Pioneer 26R22	Med-Late	Medium	Medium	Low
HBK 3266	Med-Early	Medium	Medium	Average
<b>New (first year tested)</b>				
Dyna Gro 9171	Med-Late	Med-High	Short	Low
AgriMAXX 415	Med-Late	Medium	Short	High
Progeny PGX10-5	Medium	High	Med-Tall	Low
AgriMAXX 413	Medium	Med-Low	Medium	Average

*\*Variety maturity is rated specifically for north Mississippi relative to other varieties. Later maturing varieties are more likely to avoid freeze-damage and thus are generally better suited to northernmost regions, particularly if wheat is planted early. Early-maturing varieties are best suited for relatively late planting dates.*

Copyright 2011 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Mississippi State University does not discriminate on the basis of race, color, religion, national origin, sex, age, disability, or veteran status.



**MISSISSIPPI STATE**  
UNIVERSITY<sup>™</sup>  
**EXTENSION SERVICE**

# 2011 MSU Wheat Variety Suggestions

Based on yield performance in the MSU Wheat and Oat Variety Trials

## Varieties Adapted for South Mississippi

Variety	Maturity*	Straw Strength	Height	Test Weight
<b>Standards</b>				
Terral TV8861	Late	Medium	Medium	Average
USG 3438	Late	High	Medium	Low
Armor Ricochet	Late	High	Very Short	Low
Pioneer 26R22	Med-Late	Medium	Medium	Low
Pioneer 26R87	Medium-Early	High	Medium	Excellent
Hornbeck 3266	Medium-Early	Medium	Medium	Average
Dyna Gro Baldwin	Late	Excellent	Med-Tall	Average
AGS 2035	Early	Medium	Medium	Average
<b>New (first year tested)</b>				
AgriMAXX 413	Medium	Med to Low	Medium	Average

\*Variety maturity is rated specifically for South Mississippi relative to other varieties. Earlier-maturing varieties, such as AGS2035, are generally best suited for southernmost areas. Later-maturing varieties generally have marginal adaptation south of Highway 84 and may not yield well, or may not meet vernalization requirements (cold temperatures) to stimulate head production, particularly when planting late.

Copyright 2011 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Mississippi State University does not discriminate on the basis of race, color, religion, national origin, sex, age, disability, or veteran status.



**MISSISSIPPI STATE**  
UNIVERSITY<sup>™</sup>  
**EXTENSION SERVICE**