

# 2012 MSU Wheat Variety Suggestions

Based on yield performance in the MSU Wheat and Oat Variety Trials

## Varieties Adapted for the Delta

Variety	Maturity*	Straw Strength	Height	Test Wt.	Disease Resistance	
					Leaf Rust	Stripe Rust
USG 3201	Med-Late	High	Short	High	MR	R
AgriMAXX 413	Medium	Med-Low	Med-Short	Medium	MS	R
Dixie Kelsey	Med-Late	Med-High	Med-Short	Medium	MS	R
AgriMAXX 415	Med-Late	Med-High	Med-Short	Med-Low	MS	R
USG 3438	Med-Late	Excellent	Medium	Med-Low	MS	R
Progeny P870	Late	Med-High	Med-Short	Very Low	MR	MR
Dyna Gro 9171	Med-Late	Excellent	Short	Med-Low	MS	R
Dixie McAlister	Med-Late	Med-High	Med-Short	Med-Low	MS	R
Terral TV8861	Med-Late	Med-Low	Medium	Med-High	MS	R
USG 3251	Med-Early	Med-Low	Tall	High	MS	MR
Terral TV8535	Late	Med-High	Med-Tall	Low	MS	R
Dyna Gro Baldwin	Med-Late	Excellent	Tall	High	R	MR
Pioneer 26R87	Early	Medium	Med-Short	High	MS	R
USG 3120	Med-Early	Excellent	Med-Tall	High	R	MR
Terral TV8525	Med-Late	Medium	Med-Tall	Medium	S	R
Armor Ricochet	Late	High	Med-Short	Low	MR	R

\*Variety maturity is rated specifically for the Delta region relative to other varieties. Later maturing varieties are more likely to avoid freeze-damage and thus are generally better suited to northernmost regions, particularly if wheat is planted early. Early-maturing varieties are best suited for relatively late planting dates.



**MISSISSIPPI STATE**  
UNIVERSITY™  
**EXTENSION SERVICE**

Copyright 2012 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Mississippi State University does not discriminate on the basis of race, color, religion, national origin, sex, age, disability, or veteran status.

# 2012 MSU Wheat Variety Suggestions

Based on yield performance in the MSU Wheat and Oat Variety Trials

## Varieties Adapted for North Mississippi

Variety	Maturity*	Straw Strength	Height	Test Wt.	Disease Resistance	
					Leaf Rust	Stripe Rust
HBK 3266	Med-Early	Low	Med-Tall	Med-High	R	S
Terral TV8848	Med-Late	Med-Low	Med-Tall	Med-Low	S	MR
Pioneer 26R87	Early	Medium	Med-Short	High	MS	R
Dixie Bell 620	Med-Late	Medium	Med-Short	Med-Low	S	R
AgriMAXX 415	Med-Late	Med-High	Med-Short	Med-Low	MS	R
AgriMAXX 413	Medium	Med-Low	Med-Short	Medium	MS	R
Dyna Gro 9171	Med-Late	Excellent	Short	Med-Low	MS	R
USG 3201	Med-Late	High	Short	High	MR	R
Dixie Kelsey	Med-Late	Med-High	Med-Short	Medium	MR	R
Terral TV8535	Late	Med-High	Medium	Low	MS	R
Progeny P870	Late	Med-High	Med-Short	Very Low	MR	MR
USG 3251	Med-Early	Med-Low	Tall	High	MS	MR
USG 3120	Med-Early	Excellent	Med-Tall	High	R	MR
USG 3438	Med-Late	Excellent	Medium	Med-Low	MS	R

*\*Variety maturity is rated specifically for north Mississippi relative to other varieties. Later maturing varieties are more likely to avoid freeze-damage and thus are generally better suited to northernmost regions, particularly if wheat is planted early. Early-maturing varieties are best suited for relatively late planting dates.*

Copyright 2012 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Mississippi State University does not discriminate on the basis of race, color, religion, national origin, sex, age, disability, or veteran status.



**MISSISSIPPI STATE**  
**UNIVERSITY**  
**EXTENSION SERVICE**

# 2012 MSU Wheat Variety Suggestions

Based on yield performance in the MSU Wheat and Oat Variety Trials

## Varieties Adapted for South Mississippi

Variety	Maturity*	Straw Strength	Height	Test Wt.	Disease Resistance	
					Leaf Rust	Stripe Rust
Terral TV8861	Late	Med-Low	Medium	Med-High	MS	R
AgriMAXX 413	Late	Med-Low	Med-Short	Medium	MS	R
USG 3120	Early	Excellent	Med-Tall	High	R	MR
AGS 2035	Early	Medium	Tall	High	R	MS
Pioneer 26R87	Early	Medium	Med-Short	High	MS	R
Dyna Gro 9171	Med-Late	Excellent	Short	Med-Low	MS	R
Pioneer 26R22	Medium	Medium	Med-Tall	High	MR	MS
Progeny P870	Med-Late	Med-High	Med-Short	Very Low	MR	MR
USG 3438	Medium	Excellent	Medium	Med-Low	MS	R
Dixie Bell 620	Medium	Medium	Med-Short	Med-Low	S	R
Terral TV8848	Med-Late	Med-Low	Med-Tall	Med-Low	S	MR
Terral TV8525	Late	Medium	Med-Tall	Medium	S	R
Dixie McAlister	Med-Late	Med-High	Med-Short	Med-Low	MS	R

\*Variety maturity is rated specifically for South Mississippi relative to other varieties. Earlier-maturing varieties, such as USG 3120, AGS 2035, and Pioneer 26R87 are generally best suited for southernmost areas. Later-maturing varieties generally have marginal adaptation south of Highway 84 and may not yield well, or may fail to meet vernalization requirements (cold temperatures) to stimulate head production, particularly when planting late.

Copyright 2012 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Mississippi State University does not discriminate on the basis of race, color, religion, national origin, sex, age, disability, or veteran status.



**MISSISSIPPI STATE**  
UNIVERSITY<sup>™</sup>  
**EXTENSION SERVICE**