

**Maturity Group IV Early Frogeye leaf spot ratings**

**Frogeye leaf spot severity rating (0-9)**

Company/Cultivar	Brooksville	Brooksville	Charleston	Clarksdale	Falkner	Hernando	Longwood	Raymond	Stoneville	Stoneville	Stoneville	AVG
	(irr)	(non irr)							(clay)	(loam)	(non irr)	
AGS GS45R216	0.3	0	1	1.7	0	0.7 bcd	1.7	0	1.3	0.3	0.7 cd	<b>0.7</b>
Asgrow AG4632	0	0.3	1	1.3	0.3	0.0 d	0	0	1	0	0.7 cd	<b>0.4</b>
Credenz CZ 4181 RY	0.3	0.3	.	1.7	0.3	0.7 bcd	1.3	0	1	0.3	0.7 cd	<b>0.7</b>
Credenz CZ 4590 RY	0.3	0.3	2	2.3	0	0.7 bcd	0.7	1.3	2.3	0.3	1.7 ab	<b>1.1</b>
Credenz CZ 4656 RY	0.3	0	2	2	0	0.7 bcd	1	0.3	2	1.3	1.7 ab	<b>1.0</b>
Delta Grow DG 4670RR2	0.3	0	1	2	0.3	0.3 cd	0.7	0	1.3	0.7	1.0 bcd	<b>0.7</b>
Delta Grow DG 4680RR2	0	0.3	1	2	0	1.3 ab	0.7	0.3	1	0.7	1.0 bcd	<b>0.8</b>
Dyna-Gro 31RY45	0	0	1.7	1.7	0.3	0.0 d	0.7	0	1.7	0.3	1.3 abc	<b>0.7</b>
Dyna-Gro S43RY95	0.3	0	1	2	0.3	1.7 a	0.3	0	1	0	2.0 a	<b>0.8</b>
Mycogen 5N414R2	0.3	0.3	1	1.7	0.3	0.7 bcd	1.7	0.3	2.3	0.3	0.7 cd	<b>0.9</b>
Mycogen 5N424R2	0	0.3	0.7	1	0	0.0 d	1	0.3	1.5	0.7	1.0 bcd	<b>0.6</b>
Mycogen 5N433R2	0.3	0	1	1.3	0	0.5 bcd	1	0	1	0.3	1.3 abc	<b>0.6</b>
Mycogen 5N452R2	0	0	1.7	1.7	0	0.3 cd	0.3	0	1	0.3	0.7 cd	<b>0.5</b>
NK S39-C4	-	0	-	1	0	1.0 abc	0.5	0	-	-	2.0 a	<b>0.6</b>
NK S39-T3	0	0	-	1.7	0	0.7 bcd	0.3	0	1	0.3	1.3 abc	<b>0.5</b>
NK S42-P6	0	0.3	0.5	1.7	0	0.3 cd	0.7	0	1	0.5	0.5 cd	<b>0.5</b>
NK S45-W9	0	0	0	0.7	0	0.5 bcd	0.3	0	1	0	0.3 d	<b>0.3</b>
Pioneer P41T33R	0	0	1	1	0	0.7 bcd	1	0	1	0.3	0.3 d	<b>0.5</b>
Progeny Ag Products P 4211RY	0	0.3	0.3	2.3	0	0.3 cd	0.7	0	1	0.7	0.7 cd	<b>0.6</b>
Progeny Ag Products P 4588RY	0	0	0.7	1	0.3	0.0 d	1	0	1	0	1.0 bcd	<b>0.5</b>
Progeny Ag Products P 4613RY	0.3	0.3	2.3	2	0.3	0.3 cd	0.7	1.3	1.7	0.7	1.7 ab	<b>1.1</b>
Terral REV 45A46	1	0	2	2.7	0.3	0.7 bcd	1.7	0	1	1	1.0 bcd	<b>1.0</b>
LSD	0.7	0.6	1.7	1.3	0.6	0.9	1	0.9	1.3	0.9	0.9	
CV	199.6	253.4	83.1	47.7	245.4	95.2	76.1	316.5	52.2	134.1	51.2	
<i>p</i> -value	0.3196	0.8418	0.2837	0.2623	0.7796	0.0362	0.1042	0.1679	0.2221	0.4956	0.0107	