2026 Soybean Variety Demonstration Program

MISSISSIPPI STATE UNIVERSITY™

EXTENSION



MSPB

MISSISSIPPI SOYBEAN PROMOTION BOARD

Table of Contents

2026 Locations 4

Participants and Acknowledgements 5

2026 Location Details 6

Soybean Variety Characteristics 7

Yield Information 12

- **Summary of Maturity Group IV EARLY Irrigated XtendFlex® Varieties 12**
- **Summary of Maturity Group IV (Mixed/Light Soil) Irrigated XtendFlex® Varieties 13**
- **Summary of Maturity Group IV (Clay Soil) Irrigated XtendFlex® Varieties 14**
- **Summary of Maturity Group IV (Clay Soil) Non-Irrigated XtendFlex® Varieties 15**
- **Summary of Maturity Group V Non-Irrigated XtendFlex® Varieties 16**
- **Summary of Maturity Group IV Non-Irrigated Enlist E3 Varieties 17**
- **Summary of Maturity Group IV Irrigated XtendFlex® & Enlist E3 Varieties 18**
- **Summary of Maturity Group IV Non-Irrigated XtendFlex® & Enlist E3 Varieties 19**
- **Individual Locations 20**
  - **Bolivar County – Irrigated – MG IV EARLY XF 20**
  - **Bolivar County – Irrigated – MG IV (Clay Soil) XF 21**
  - **Bolivar County 1 – Irrigated – MG IV (Mixed/Light Soil) XF 22**
  - **Bolivar County 2 – Irrigated – MG IV (Mixed/Light Soil) XF 23**
  - **Bolivar County – Irrigated – MG IV XF & Enlist E3 ..... 24**
  - **Hinds County – Non-Irrigated – MG IV (Mixed/Light Soil) XF 25**
  - **Hinds County – Non-Irrigated – MG IV Enlist E3 ..... 26**
  - **Hinds County – Non-Irrigated – MG IV XF & Enlist E3 ..... 27**
  - **Humphreys County – Irrigated – MG IV (Clay Soil) XF 28**
  - **Lee County – Non-Irrigated – MG V XF 29**
  - **Lee County – Non-Irrigated – MG IV XF & Enlist E3 ..... 30**
  - **Leflore County – Irrigated – MG IV (Mixed/Light Soil) XF 31**
  - **Lowndes County – Non-Irrigated – MG IV (Clay Soil) XF 32**
  - **Lowndes County – Non-Irrigated – MG V XF 33**
  - **Madison County – Non-Irrigated - MG IV Enlist E3 ..... 34**
  - **Monroe County – Non-Irrigated - MG V XF 35**

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Noxubee County – Irrigated - MG IV EARLY XF 36
Noxubee County – Non-Irrigated - MG IV (Clay Soil) XF 37
Noxubee County – Non-Irrigated - MG IV Enlist E3 38
Noxubee County – Irrigated - MG IV XF & Enlist E3 39
Oktibbeha County – Non-Irrigated – MG IV EARLY XF 40
Oktibbeha County – Non-Irrigated – MG V XF 41
Oktibbeha County – Irrigated – MG IV Enlist E3 42
Oktibbeha County – Irrigated – MG IV XF & Enlist E3 43
Pontotoc County – Non-Irrigated – MG V XF 44
Pontotoc County – Non-Irrigated – MG IV Enlist E3 45
Rankin County – Non-Irrigated – MG V XF 46
Sunflower County – Irrigated – MG IV (Mixed/Light Soil) XF 47
Washington County – Irrigated – MG IV EARLY XF 48
Washington County – Irrigated – MG IV (Clay Soil) XF 49
Washington County – Irrigated – MG IV (Mixed/Light Soil) XF 50
Washington County – Irrigated – MG IV XF & Enlist E3 51

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

During the 2026 growing season, a total of 32 on-farm soybean variety demonstration plots were successfully conducted. The following information is intended to complement data generated through small-plot variety testing programs.

2026 Locations

County	Demonstration Type	Irrigation Method
Bolivar	MG IV EARLY XF	Furrow
Bolivar	MG IV XF (Clay Soil)	Furrow
Bolivar 1	MG IV XF (Mixed/Light Soil)	Furrow
Bolivar 2	MG IV XF (Mixed/Light Soil)	Furrow
Bolivar	MG IV XF & Enlist E3	Furrow
Hinds	MG IV XF (Mixed/Light Soil)	None
Hinds	MG IV Enlist E3	None
Hinds	MG IV XF & Enlist E3	None
Humphreys	MG IV XF (Clay Soil)	Furrow
Lee	MG V XF	None
Lee	MG IV XF & Enlist E3	None
Leflore	MG IV XF (Mixed/Light Soil)	Furrow
Lowndes	MG IV XF (Clay Soil)	None
Lowndes	MG V XF	None
Madison	MG IV Enlist E3	None
Monroe	MG V XF	None
Noxubee	MG IV XF (Clay Soil)	None
Noxubee	MG IV Enlist E3	None
Noxubee	MG IV EARLY XF	Overhead
Noxubee	MG IV XF & Enlist E3	Overhead
Oktibbeha	MG IV EARLY XF	None
Oktibbeha	MG V XF	None
Oktibbeha	MG IV & V Enlist E3	Furrow
Oktibbeha	MG IV XF & Enlist E3	Furrow
Pontotoc	MG V XF	None
Pontotoc	MG IV Enlist E3	None
Rankin	MG V XF	None
Sunflower	MG IV XF (Mixed/Light Soil)	Furrow
Washington	MG IV EARLY XF	Furrow
Washington	MG IV XF (Clay Soil)	Furrow
Washington	MG IV XF (Mixed/Light Soil)	Furrow
Washington	MG IV XF & Enlist E3	Furrow

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

MSU Extension Participants

Program Coordinator: Dr. Justin Calhoun, Extension Soybean Specialist

Dr. Tom Allen
Mr. Preston Aust
Dr. Amee Ausec
Mr. Bryant Howard
Mr. Alex Deason
Mr. John Michael Blankenship
Ms. Brittany Rhea
Mr. Trevor Garrett
Mr. Kyle Lewis
Mr. Randall Nevins
Mr. Paul O'Neal
Mr. Garrett Oswalt
Mr. Josh Tilley
Mr. Tim Fondren
Dr. Tyler Soignier
Mr. Jalen Hudson
Ms. Maddie Douglas
Mr. Jeb Osborn

Mississippi State University Extension wishes to express special thanks to the many producers who cooperated with this year's on-farm soybean variety demonstration program as well as to the Mississippi Soybean Promotion Board for their continued support of these efforts. In addition, the seed companies and their representatives are sincerely appreciated for their support of this program. The relationships among participating individuals are critical for the continued success of this program.

Assistance in the conduct of this program provided by: Carson Brumley, Charles Craig, Grant Dykes, Rimmer Jennings, Carter Korn, Colton Smith, & Tucker Temples.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

2026 Location Details

County	Plot Type	Planting Date	Seeding Rate	Plot Width	Row Spacing	Tillage System	Soil Series	Irrigation Method	Harvest Date
Bolivar	MG IV EARLY XF	7-Apr	145,000	6 twin rows	38”	Conv.	Dundee silt loam	Furrow	17-Sep
Bolivar	MG IV XF (Clay Soil)	8-May	135,000	8 twin rows	38”	Conv.	Sharkey clay	Furrow	28-Sep
Bolivar 1	MG IV XF (Mixed/Light Soil)	7-Apr	135,000	6 twin rows	38”	Conv.	Forestdale silty clay loam	Furrow	14-Sep
Bolivar 2	MG IV XF (Mixed/Light Soil)	7-Apr	145,000	6 twin rows	38”	Conv.	Dundee silt loam	Furrow	17-Sep
Bolivar	MG IV XF & Enlist E3	7-Apr	135,000	6 twin rows	38”	Conv.	Forestdale silty clay loam	Furrow	14-Sep
Hinds	MG IV XF (Mixed/Light Soil)	14-Apr	120,000	8 rows	38”	Conv.	Loring silt loam	None	3-Sep
Hinds	MG IV Enlist E3	15-Apr	120,000	8 rows	38”	Conv.	Loring silt loam	None	9-Sep
Hinds	MG IV XF & Enlist E3	15-Apr	120,000	8 rows	38”	Conv.	Loring silt loam	None	9-Sep
Humphreys	MG IV XF (Clay Soil)	23-Apr	135,000	6 rows	38”	Conv.	Forestdale silty clay loam	Furrow	21-Sep
Lee	MG V XF	12-May	120,000	4 rows	38”	Conv.	Leeper fine sandy loam	None	30-Sep
Lee	MG IV XF & Enlist E3	12-May	120,000	4 rows	38”	Conv.	Leeper fine sandy loam	None	30-Sep
Leflore	MG IV XF (Mixed/Light Soil)	9-Apr	130,000	4 twin rows	38”	Conv.	Dubbs-Dundee complex	Furrow	16-Sep
Lowndes	MG IV XF (Clay Soil)	10-Apr	120,000	6 rows	30”	Conv.	Brooksville silty clay	None	9-Sep
Lowndes	MG V XF	10-Apr	120,000	6 rows	30”	Conv.	Brooksville silty clay	None	9-Sep
Madison	MG IV Enlist E3	14-Apr	140,000	7 rows	20”	Conv.	Calloway silt loam	None	16-Sep
Monroe	MG V XF	17-Apr	120,000	12 rows	38”	Conv.	Vaiden silty clay	None	22-Sep
Noxubee	MG IV XF (Clay Soil)	8-Apr	130,000	12 rows	15”	Conv.	Okolona silty clay	None	10-Sep
Noxubee	MG IV EARLY XF	21-Apr	130,000	8 rows	38”	Conv.	Brooksville silty clay	Overhead	30-Sep
Noxubee	MG IV XF & Enlist E3	21-Apr	130,000	8 rows	38”	Conv.	Brooksville silty clay	Overhead	30-Sep
Noxubee	MG IV Enlist E3	10-Apr	110,000	6 rows	30”	Conv.	Brooksville silty clay	None	4-Sep
Oktibbeha	MG IV EARLY XF	8-Apr	132,000	4 rows	38”	Conv.	Marietta fine sandy loam	None	18-Sep
Oktibbeha	MG V	8-Apr	132,000	4 rows	38”	Conv.	Marietta fine sandy loam	None	24-Sep
Oktibbeha	MG IV Enlist E3	8-Apr	132,000	2 rows	38”	Conv.	Marietta fine sandy loam	Furrow	4-Sep
Oktibbeha	MG IV XF & Enlist E3	8-Apr	132,000	2 rows	38”	Conv.	Marietta fine sandy loam	Furrow	4-Sep
Pontotoc	MG V XF	18-May	128,000	4 rows	30”	Conv.	Falkner silt loam	None	9-Sep
Pontotoc	MG IV Enlist E3	18-May	128,000	4 rows	30”	Conv.	Falkner silt loam	None	9-Sep
Rankin	MG V XF	1-Jun	120,000	7 rows	18”	No-till	Loring silt loam	None	14-Oct
Sunflower	MG IV XF (Mixed/Light Soil)	6-May	130,000	4 rows	38”	Conv.	Dundee very fine sandy loam	Furrow	25-Sep
Washington	MG IV EARLY XF	5-May	140,000	8 twin rows	40”	Conv.	Sharkey clay	Furrow	28-Sep
Washington	MG IV XF (Clay Soil)	5-May	140,000	8 twin rows	40”	Conv.	Sharkey clay	Furrow	28-Sep
Washington	MG IV XF (Mixed/Light Soil)	5-May	130,000	4 rows	40”	Conv.	Tunica clay	Furrow	6-Oct
Washington	MG IV XF & Enlist E3	5-May	130,000	4 rows	40”	Conv.	Tunica clay	Furrow	6-Oct

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Soybean Variety Characteristics

Maturity Group IV Early XtendFlex Set

Brand	Variety	Relative Maturity	Herbicide Package[1]	Growth Habit[2]	Canopy Width[3]	Plant Height[4]	Plant Color[5]
Asgrow	AG41XF6	4.1	XF/SR	I	M	M	LT
Asgrow	AG42XF6	4.2	XF/SR	I	MB	MT	LT
Asgrow	AG43XF5	4.3	XF/SR	I	M	M	LT
Dyna-Gro	S43XF85S	4.3	XF/STS	I	M	MT	LT
Gateway	441XFS	4.4	XF/SR	I	-	MT	LT
Great Heart Seed	GT-4460XF	4.4	XF	I	MB	T	LT
Innvictis	A4534XF	4.5	XF	I	B	MT	LT
NK Seeds	NK42-Y2XFS	4.2	XF/STS	I	M	M	LT
Revere	44-F44	4.4	XF/STS	I	M	MT	LT

[1] – XF = XtendFlex: SR/STS = sulfonylurea tolerant soybean
[2] – I = indeterminate; D = determinate
[3] – T = thin; M = medium; MB = medium-bushy; B = bushy
[4] – S = short; M = medium; MT = medium-tall; T = tall
[5] – G = gray; LT = light tawny; T = tawny

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Soybean Variety Characteristics (cont.)

Maturity Group IV XtendFlex Set
(includes both Mixed/Light and Clay soil specific varieties)

Brand	Variety	Relative Maturity	Herbicide Package[1]	Growth Habit[2]	Canopy Width[3]	Plant Height[4]	Plant Color[5]
Asgrow	AG43XF5	4.3	XF/SR	I	M	M	LT
Asgrow	AG47XF6	4.7	XF/SR	I	M	T	LT
Asgrow	AG48XF6	4.8	XF/SR	I	MB	MT	G
Asgrow	AG49XF4	4.9	XF/SR	I	MB	MT	T
Asgrow	AG49XF6	4.9	XF/SR	I	MB	M	LT
Delta Grow Seed Co.	DG48XF70STS	4.8	XF/STS	I	-	-	LT
Delta Grow Seed Co.	DG49XF70STS	4.9	XF/STS	I	-	-	T
Dyna-Gro	S45XF47S	4.5	XF/STS	I	MB	MT	LT
Dyna-Gro	S46XF26S	4.6	XF/STS	I	B	T	LT
Gateway	457XFS	4.5	XF/SR	I	-	T	LT
Gateway	487XFS	4.8	XF/SR	I	-	MT	LT
Great Heart Seed	GT-4632XFS	4.6	XF/STS	I	M	T	LT
Great Heart Seed	GT-4722XFS	4.7	XF/STS	I	MB	T	LT
Innvictis	A4755XF	4.7	XF/STS	I	MB	T	LT
Innvictis	A4924XF	4.9	XF	I	M	M	LT
NK Seeds	NK47-U1XFS	4.7	XF/STS	I	MB	T	LT
Progeny	P 4515XFS	4.5	XF/STS	I	MB	T	LT
Progeny	P 4556XFS	4.5	XF/STS	I	B	MT	LT
Progeny	P 4734XFS	4.7	XF/STS	I	-	MT	LT
Revere	46-F17	4.6	XF	I	M	MT	LT
Revere	48-F99	4.8	XF	I	M	T	LT
Revere	49-F36	4.9	XF/STS	I	MB	MT	LT

[1] – XF = XtendFlex; SR/STS = sulfonylurea tolerant soybean
[2] – I = indeterminate; D = determinate
[3] – T = thin; M = medium; MB = medium-bushy; B = bushy
[4] – S = short; M = medium; MT = medium-tall; T = tall
[5] – G = gray; LT = light tawny; T = tawny

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Soybean Variety Characteristics (cont.)

Maturity Group V XtendFlex Set

Brand	Variety	Relative Maturity	Herbicide Package[1]	Growth Habit[2]	Canopy Width[3]	Plant Height[4]	Plant Color[5]
Asgrow	AG50XF5	5.0	XF	D	M	MT	T
Asgrow	AG54XF5	5.4	XF	D	M	M	T
Asgrow	AG54XF6	5.4	XF	D	MB	M	T
Asgrow	AG55XF5	5.5	XF	D	M	MT	T
Dyna-Gro	S52XF76S	5.2	XF/STS	D	MB	MT	LT
Great Heart Seed	GT-5110XF	5.1	XF	D	B	T	LT
Innvictis	A5226XFS	5.2	XF/STS	I	MB	MT	LT
NK Seeds	NK52-M2XFS	5.2	XF/STS	I	MB	MT	LT
Progeny	P 5221XFS	5.2	XF/STS	I	B	M	LT

[1] – XF = XtendFlex; SR/STS = sulfonylurea tolerant soybean
[2] – I = indeterminate; D = determinate
[3] – T = thin; M = medium; MB = medium-bushy; B = bushy
[4] – S = short; M = medium; MT = medium-tall; T = tall
[5] – G = gray; LT = light tawny; T = tawny

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Soybean Variety Characteristics (cont.)

Maturity Group IV Enlist E3 Set

Brand	Variety	Relative Maturity	Herbicide Package[1]	Growth Habit[2]	Canopy Width[3]	Plant Height[4]	Plant Color[5]
Dyna-Gro	S48ES56	4.8	E3	I	MB	MT	LT
Great Heart Seed	GT-4655ES	4.6	E3	I	MB	T	G
Great Heart Seed	GT-4752E	4.7	E3	I	-	-	-
Innvictis	A4553E	4.5	E3	I	MB	M	G
Innvictis	A4744E	4.7	E3	I	MB	MT	G
Pioneer	P43Z44	4.3	E3	I	MB	M	LT
Pioneer	P45Z21	4.5	E3	I	MB	M	LT
Pioneer	P45Z75	4.5	E3	I	MB	M	LT
Pioneer	P48Z35	4.8	E3	I	MB	MT	LT
Pioneer	P48Z73	4.8	E3	I	MB	M	LT

[1] – E3 = Enlist; STS = sulfonylurea tolerant soybean
[2] – I = indeterminate; D = determinate
[3] – T = thin; M = medium; MB = medium-bushy; B = bushy
[4] – S = short; M = medium; MT = medium-tall; T = tall
[5] – G = gray; LT = light tawny; T = tawny

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Soybean Variety Characteristics (cont.)

Maturity Group IV XtendFlex & Enlist E3 Set

Brand	Variety	Relative Maturity	Herbicide Package[1]	Growth Habit[2]	Canopy Width[3]	Plant Height[4]	Plant Color[5]
Dyna-Gro	S46XF26S	4.6	XF/STS	I	B	T	LT
Dyna-Gro	S48ES56	4.8	E3	I	MB	MT	LT
Innvictis	A4534XF	4.5	XF	I	B	MT	LT
NK Seeds	NK47-G5E3S	4.7	E3/STS	I	MB	T	T
NK Seeds	NK47-U1XFS	4.7	XF/STS	I	MB	T	LT
Pioneer	P45Z75	4.5	E3	I	MB	M	LT
Pioneer	P48Z73	4.8	E3	I	MB	M	LT
Progeny	P 4734XFS	4.7	XF/STS	I	-	MT	LT

[1] – E3 = Enlist; STS = sulfonylurea tolerant soybean
[2] – I = indeterminate; D = determinate
[3] – T = thin; M = medium; MB = medium-bushy; B = bushy
[4] – S = short; M = medium; MT = medium-tall; T = tall
[5] – G = gray; LT = light tawny; T = tawny

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Maturity Group IV EARLY XtendFlex Varieties Summarized across Irrigated Locations							
Total number of locations:		**3**					
Planting date range:		**7-Apr-26 to 5-May-26**					
Brand	**Variety**	**Avg. Plant Height**	**Avg. Lodging Score**	**Avg. Shattering Score**	**Avg. Green Stem Score**	**Avg. Seed Moisture**	**Average Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Gateway	441XFS	27.8	1	2	1	8.9	58.4
Asgrow	AG43XF5	27.5	1	2	1	8.8	57.9
Revere	44-F44	28.1	1	2	1	7.8	57.7
Asgrow	AG42XF6	25.8	1	2	2	9.2	57.4
Innvictis	A4534XF	23.9	1	2	1	8.3	56.9
NK Seeds	NK42-Y2XFS	29.4	1	2	3	9.3	55.9
Dyna-Gro	S43XF85	27.5	1	3	1	8.9	55.8
Asgrow	AG41XF6	28.3	2	2	1	9.2	53.3
Great Heart Seed	GT-4460XF	27.5	1	3	2	9.2	53.2
Average across all irr. locations:						**8.8**	**56.3**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Maturity Group IV (Mixed/Light Soil) XtendFlex Varieties Summarized across Irrigated Locations							
Total number of locations:		**5**					
Planting date range:		**7-Apr-26 to 6-May-26**					
Brand	**Variety**	**Avg. Plant Height**	**Avg. Lodging Score**	**Avg. Shattering Score**	**Avg. Green Stem Score**	**Avg. Seed Moisture**	**Average Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
NK Seeds	NK47-U1XFS	33.2	2	0	1	10.8	74.6
Innvictis	A4755XF	32.8	2	0	1	10.5	73.6
Great Heart Seed	GT-4722XFS	33.2	2	0	1	10.1	73.1
Delta Grow Seed Co.	DG49XF70STS	32.3	2	0	1	9.7	72.6
Innvictis	A4924XF	33.0	1	0	1	9.1	72.0
Great Heart Seed	GT-4632XFS	35.0	2	0	0	9.6	71.8
Asgrow	AG49XF4	37.1	2	0	1	10.1	71.4
Delta Grow Seed Co.	DG48XF70STS	38.3	2	0	1	10.2	71.4
Asgrow	AG48XF6	37.9	2	0	0	10.0	71.2
Revere	46-F17	36.1	3	0	1	9.6	71.2
Asgrow	AG43XF5	31.8	1	0	0	9.8	70.2
Progeny	P 4734XFS	35.5	3	0	1	10.1	70.0
Asgrow	AG47XF6	39.2	2	0	1	9.9	69.9
Gateway	457XFS	34.7	3	0	1	9.6	68.6
Asgrow	AG49XF6	39.5	3	1	1	10.2	66.8
Progeny	P 4556XFS	32.9	3	0	0	9.8	66.8
Dyna-Gro	S45XF47	32.8	2	0	0	9.5	66.0
Average across all irr. locations:						**9.9**	**70.7**

[1]- Soybean yield adjusted to standard moisture content of 13.0%

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Maturity Group IV (Clay Soil) XtendFlex Varieties Summarized across Irrigated Locations							
Total number of locations:		**3**					
Planting date range:		**23-Apr-26 to 8-May-26**					
Brand	**Variety**	**Avg. Plant Height**	**Avg. Lodging Score**	**Avg. Shattering Score**	**Avg. Green Stem Score**	**Avg. Seed Moisture**	**Average Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Revere	48-F99	32.7	3	0	0	8.9	77.5
Asgrow	AG49XF4	34.4	2	0	0	9.1	73.9
NK Seeds	NK47-U1XFS	28.5	2	0	0	9.4	72.7
Revere	49-F36	33.8	2	0	1	9.2	71.8
Dyna-Gro	S46XF26	35.3	3	0	0	8.7	71.3
Asgrow	AG48XF6	35.4	2	0	0	9.4	70.9
Progeny	P 4734XFS	28.9	2	0	0	8.7	70.6
Gateway	487XFS	34.9	2	0	0	9.0	70.5
Delta Grow Seed Co.	DG48XF70STS	35.8	3	0	0	9.8	69.6
Asgrow	AG43XF5	30.6	2	0	0	9.4	69.2
Asgrow	AG47XF6	32.9	2	0	0	9.1	68.7
Asgrow	AG49XF6	35.2	3	0	0	9.4	67.8
Progeny	P 4515XFS	34.7	2	0	0	8.7	66.6
Innvictis	A4755XF	29.2	1	0	0	9.2	66.4
Great Heart Seed	GT-4722XFS	31.1	2	0	0	9.7	66.2
Delta Grow Seed Co.	DG49XF70STS	32.5	1	0	0	11.1	65.3
Innvictis	A4924XF	28.6	1	0	1	8.5	64.2
Average across all irr. locations:						**9.3**	**69.6**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Maturity Group IV (Clay Soil) XtendFlex Varieties Summarized across Non-Irrigated Locations							
Total number of locations:		**2**					
Planting date range:		**8-Apr-26 to 10-Apr-26**					
Brand	**Variety**	**Avg. Plant Height**	**Avg. Lodging Score**	**Avg. Shattering Score**	**Avg. Green Stem Score**	**Avg. Seed Moisture**	**Average Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Revere	48-F99	32.5	2	0	0	10.2	66.0
Asgrow	AG49XF6	29.9	1	0	2	12.5	65.7
Revere	49-F36	26.3	3	0	1	11.4	65.5
Gateway	487XFS	31.1	2	1	1	11.2	63.7
Delta Grow Seed Co.	DG48XF70STS	30.2	1	1	1	12.1	62.1
Asgrow	AG43XF5	25.8	1	1	3	10.8	60.4
Dyna-Gro	S46XF26	33.0	2	1	1	8.9	60.3
Asgrow	AG49XF4	28.1	1	0	0	10.8	59.8
Asgrow	AG47XF6	28.7	2	1	1	13.1	59.7
Asgrow	AG48XF6	29.4	2	0	1	13.8	59.1
Delta Grow Seed Co.	DG49XF70STS	28.3	1	1	1	11.3	59.0
Innvictis	A4755XF	23.9	1	0	1	11.1	58.5
Progeny	P 4515XFS	30.2	2	1	0	8.5	58.4
NK Seeds	NK47-U1XFS	24.8	1	0	2	10.4	57.7
Innvictis	A4924XF	27.2	1	1	0	11.7	57.2
Great Heart Seed	GT-4722XFS	24.8	1	0	1	10.4	56.5
Progeny	P 4734XFS	25.0	2	0	1	10.5	54.7
Average across all non-irr. locations:						**11.1**	**60.3**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Maturity Group V XtendFlex Varieties Summarized across Non-Irrigated Locations							
Total number of locations:		**5**					
Planting date range:		**8-Apr-26 to 1-Jun-26**					
Brand	**Variety**	**Avg. Plant Height**	**Avg. Lodging Score**	**Avg. Shattering Score**	**Avg. Green Stem Score**	**Avg. Seed Moisture**	**Average Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
NK Seeds	NK52-M2XFS	32.4	2	0	0	11.5	56.4
Asgrow	AG50XF5	29.7	2	0	1	10.9	52.4
Innvictis	A5226XFS	32.3	1	0	0	11.5	50.8
Dyna-Gro	S52XF76	30.9	1	0	1	11.7	50.1
Asgrow	AG54XF6	31.4	2	0	2	12.5	49.9
Great Heart Seed	GT-5110XF	28.7	2	0	0	11.7	49.0
Asgrow	AG54XF5	31.3	2	0	2	11.9	48.3
Progeny	P 5221XFS	31.5	2	0	0	11.8	47.8
Asgrow	AG55XF5	33.7	2	0	2	12.1	46.4
Average across all non-irr. locations:						**11.7**	**50.1**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Maturity Group IV Enlist E3 Varieties Summarized across Non-Irrigated Locations							
Total number of locations:		**4**					
Planting date range:		**10-Apr-26 to 18-May-26**					
Brand	**Variety**	**Avg. Plant Height**	**Avg. Lodging Score**	**Avg. Shattering Score**	**Avg. Green Stem Score**	**Avg. Seed Moisture**	**Average Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Pioneer	P48Z73	31.4	2	0	1	11.1	62.4
Pioneer	P43Z44	31.5	1	0	0	11.1	61.0
Pioneer	P48Z35	33.4	3	0	1	11.2	60.3
Pioneer	P45Z75	33.6	2	0	0	11.2	60.2
Dyna-Gro	S48ES56	35.8	3	0	1	11.6	57.9
Innvictis	A4553E	31.3	2	0	0	11.9	54.8
Great Heart Seed	GT-4752E	35.9	4	0	0	11.1	54.6
Innvictis	A4744E	34.1	3	0	1	11.3	53.1
Great Heart Seed	GT-4655ES	33.5	2	0	0	10.9	53.0
Pioneer	P45Z21	31.4	1	0	0	11.7	51.9
Average across all non-irr. locations:						**11.3**	**56.9**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Maturity Group IV XtendFlex & Enlist E3 Varieties Summarized across Irrigated Locations							
Total number of locations:		**4**					
Planting date range:		**7-Apr-26 to 5-May-26**					
Brand	**Variety**	**Avg. Plant Height**	**Avg. Lodging Score**	**Avg. Shattering Score**	**Avg. Green Stem Score**	**Avg. Seed Moisture**	**Average Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Innvictis	A4534XF	28.3	2	2	1	9.7	58.0
NK Seeds	NK47-U1XFS	28.0	1	2	1	9.9	55.7
Dyna-Gro	S46XF26	34.4	2	2	2	10.4	53.6
Progeny	4724XFS	27.5	2	2	0	9.4	51.9
Dyna-Gro	S48ES56	26.1	1	2	1	9.8	47.5
Pioneer	P45Z75	24.3	2	2	1	9.1	45.2
NK Seeds	NK47-G5E3S	29.2	2	2	1	9.6	42.8
Pioneer	P48Z73	26.6	2	3	0	8.7	37.4
Average across all irr. locations:						**9.6**	**49.0**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Maturity Group IV XtendFlex & Enlist E3 Varieties Summarized across Non-Irrigated Locations							
Total number of locations:		**2**					
Planting date range:		**15-Apr-26 to 12-May-26**					
Brand	**Variety**	**Avg. Plant Height**	**Avg. Lodging Score**	**Avg. Shattering Score**	**Avg. Green Stem Score**	**Avg. Seed Moisture**	**Average Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Innvictis	A4534XF	34.1	2	0	1	10.5	62.7
NK Seeds	NK47-G5E3S	35.9	2	0	0	9.9	60.1
Dyna-Gro	S48ES56	36.1	4	0	1	10.2	58.9
Pioneer	P48Z73	36.3	4	0	2	9.8	58.4
NK Seeds	NK47-U1XFS	35.1	2	0	0	10.1	58.1
Progeny	4724XFS	36.2	3	0	1	10.5	54.8
Pioneer	P45Z75	33.4	4	1	0	10.2	53.6
Dyna-Gro	S46XF26	38.4	3	0	1	10.5	52.7
Average across all non-irr. locations:						**10.2**	**57.4**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Bolivar County – Irrigated Maturity Group IV EARLY XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Gateway	441XFS	27.6	1	0	1	9.1	71.0
Asgrow	AG43XF5	27.6	2	0	0	9.3	69.0
Revere	44-F44	28.0	1	1	0	8.2	68.8
NK Seeds	NK42-Y2XFS	33.6	2	0	0	9.7	67.1
Dyna-Gro	S43XF85	26.4	1	2	1	9.4	62.1
Asgrow	AG41XF6	34.0	3	0	0	8.3	61.5
Innvictis	A4534XF	26.6	0	1	0	8.4	61.3
Asgrow	AG42XF6	29.2	1	0	0	10.1	58.8
Great Heart Seed	GT-4460XF	29.0	0	2	2	10.6	56.9
Plot Average:						**9.2**	**64.1**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Bolivar County – Irrigated Maturity Group IV (Clay Soil) XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Revere	48-F99	40.4	4	0	0	8.1	85.6
Asgrow	AG49XF4	40.0	3	0	0	8.6	83.7
Asgrow	AG43XF5	35.0	3	0	0	8.4	81.5
NK Seeds	NK47-U1XFS	34.6	3	0	0	9.0	80.9
Great Heart Seed	GT-4722XFS	41.0	2	0	0	8.8	78.9
Delta Grow Seed Co.	DG49XF70STS	37.8	2	0	0	8.7	78.6
Asgrow	AG47XF6	36.8	2	0	0	8.0	77.6
Innvictis	A4755XF	36.2	2	0	0	8.3	77.6
Progeny	P 4734XFS	36.2	3	0	0	8.0	77.6
Asgrow	AG48XF6	38.4	2	0	0	9.0	77.5
Progeny	P 4515XFS	40.4	3	0	0	7.6	76.5
Revere	49-F36	39.0	4	0	0	8.6	76.0
Gateway	487XFS	45.2	4	0	0	8.8	74.9
Dyna-Gro	S46XF26	41.2	3	0	0	8.3	74.8
Innvictis	A4924XF	37.4	2	0	0	7.5	74.7
Delta Grow Seed Co.	DG48XF70STS	39.0	5	0	0	8.4	72.2
Asgrow	AG49XF6	39.4	7	0	0	8.8	68.6
Plot Average:						**8.4**	**77.5**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Bolivar County 1 – Irrigated Maturity Group IV (Mixed/Light Soil) XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Asgrow	AG43XF5	29.4	2	0	0	9.4	101.8
Gateway	457XFS	26.4	1	1	0	8.5	101.3
NK Seeds	NK47-U1XFS	26.4	1	1	0	9.2	98.3
Dyna-Gro	S45XF47	29.8	2	1	0	8.8	96.5
Great Heart Seed	GT-4632XFS	28.0	1	1	0	9.1	95.9
Delta Grow Seed Co.	DG49XF70STS	28.0	1	1	0	8.7	95.1
Delta Grow Seed Co.	DG48XF70STS	27.6	1	1	0	9.0	92.6
Innvictis	A4924XF	39.0	1	0	0	8.4	92.4
Asgrow	AG47XF6	30.0	1	1	0	8.8	92.2
Revere	46-F17	32.8	2	1	0	8.8	91.0
Asgrow	AG48XF6	25.6	2	1	0	9.2	90.6
Asgrow	AG49XF4	27.4	1	1	0	8.6	90.5
Great Heart Seed	GT-4722XFS	27.6	1	1	0	9.1	89.3
Asgrow	AG49XF6	28.2	2	1	0	9.1	89.0
Innvictis	A4755XF	30.6	1	1	0	8.8	88.4
Progeny	P 4734XFS	29.4	1	1	0	8.3	87.0
Progeny	P 4556XFS	30.8	1	1	0	8.8	82.9
Plot Average:						**8.9**	**92.6**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Bolivar County 2 – Irrigated Maturity Group IV (Mixed/Light Soil) XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Great Heart Seed	GT-4632XFS	29.6	1	0	0	8.0	72.2
Gateway	457XFS	27.2	3	0	0	9.0	70.9
Asgrow	AG47XF6	31.0	2	0	0	9.8	70.0
Delta Grow Seed Co.	DG48XF70STS	32.4	2	0	0	10.4	69.3
Delta Grow Seed Co.	DG49XF70STS	29.8	0	0	0	8.1	69.1
Innvictis	A4924XF	26.8	0	0	0	8.9	67.9
Revere	46-F17	28.8	1	0	0	9.4	67.5
Asgrow	AG48XF6	31.4	2	0	0	9.7	67.0
Asgrow	AG43XF5	23.8	1	0	0	9.2	66.8
Great Heart Seed	GT-4722XFS	25.4	1	0	0	7.3	65.7
Dyna-Gro	S45XF47	22.4	2	0	0	10.5	65.4
Asgrow	AG49XF4	34.2	1	0	0	11.3	65.1
Innvictis	A4755XF	26.0	1	0	0	7.7	64.8
NK Seeds	NK47-U1XFS	26.4	1	0	0	9.4	63.0
Progeny	P 4556XFS	29.6	2	0	0	9.7	62.5
Progeny	P 4734XFS	27.2	3	0	0	10.0	54.2
Plot Average:						**9.3**	**62.4**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Bolivar County – Irrigated Maturity Group IV XtendFlex & Enlist E3							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Innvictis	A4534XF	27.4	2	1	0	10.0	109.7
NK Seeds	NK47-U1XFS	28.6	1	1	0	10.6	106.4
Progeny	P 4734XFS	28.2	2	2	0	9.2	94.9
Dyna-Gro	S46XF26	33.4	1	1	0	9.8	90.8
Dyna-Gro	S48ES56	16.4	1	2	0	10.2	64.1
Pioneer	P45Z75	16.2	1	3	0	9.6	47.5
Pioneer	P48Z73	24.2	1	4	0	9.1	47.1
NK Seeds	NK47-G5E3S	19.6	1	1	0	9.4	42.8
Plot Average:						**9.7**	**75.4**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Hinds County – Non-Irrigated Maturity Group IV (Mixed/Light Soils) XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Gateway	457XFS	44.6	3	0	0	12.3	81.7
Great Heart Seed	GT-4632XFS	38.0	1	1	1	12.7	80.7
Dyna-Gro	S45XF47	37.0	3	0	2	12.8	76.1
Delta Grow Seed Co.	DG49XF70STS	35.6	2	1	2	12.6	75.9
Progeny	P 4556XFS	45.2	2	2	0	12.3	72.3
Great Heart Seed	GT-4722XFS	33.8	3	0	0	12.8	72.2
Revere	46-F17	38.6	3	1	0	12.7	71.1
NK Seeds	NK47-U1XFS	41.8	3	0	1	12.0	70.8
Asgrow	AG49XF4	42.6	2	1	1	12.6	70.5
Innvictis	A4755XF	35.4	4	0	0	12.0	69.9
Delta Grow Seed Co.	DG48XF70STS	44.2	3	0	0	12.8	69.4
Asgrow	AG43XF5	36.8	1	1	1	13.3	66.7
Innvictis	A4924XF	29.0	0	1	3	13.1	66.2
Asgrow	AG47XF6	37.4	1	1	0	12.2	64.1
Progeny	P 4734XFS	34.8	3	1	0	11.6	63.4
Asgrow	AG49XF6	43.2	3	1	1	13.7	63.1
Asgrow	AG48XF6	42.8	2	0	0	12.4	62.5
Plot Average:						**12.6**	**70.4**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Hinds County – Non-Irrigated Maturity Group IV Enlist E3							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Innvictis	A4553E	36.0	3	0	1	14.2	79.1
Pioneer	P43Z44	35.4	1	0	1	11.8	77.5
Pioneer	P48Z73	30.8	1	0	0	11.9	75.3
Pioneer	P45Z75	39.2	3	1	0	12.5	73.1
Innvictis	A4744E	34.0	4	0	1	11.6	70.2
Dyna-Gro	S48ES56	33.0	3	0	0	11.4	67.5
Great Heart Seed	GT-4752E	43.8	5	0	0	12.2	66.8
Pioneer	P48Z35	35.2	3	0	0	12.4	65.8
Great Heart Seed	GT-4655ES	37.2	3	1	0	11.7	65.1
Pioneer	P45Z21	34.0	1	0	0	14.0	56.4
Plot Average:						**12.4**	**69.7**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Hinds County – Non-Irrigated Maturity Group IV XtendFlex & Enlist E3							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Innvictis	A4534XF	36.2	2	0	2	12.2	79.3
Pioneer	P45Z75	34.8	3	1	0	12.0	68.6
Dyna-Gro	S46XF26	41.8	4	0	1	12.5	70.6
NK Seeds	NK47-G5E3S	39.8	2	0	0	11.8	78.5
NK Seeds	NK47-U1XFS	33.2	1	0	0	12.0	70.5
Progeny	P 4724XFS	39.4	3	0	1	13.8	64.2
Dyna-Gro	S48ES56	37.2	5	0	1	12.4	67.7
Pioneer	P48Z73	37.6	4	0	4	11.3	74.3
Plot Average:						**12.3**	**71.7**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Humphreys County – Irrigated Maturity Group IV (Clay Soil) XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Dyna-Gro	S46XF26	29.4	2	0	1	11.1	61.9
Asgrow	AG49XF6	31.0	2	0	1	12.2	61.2
Asgrow	AG48XF6	32.4	2	0	0	11.6	60.4
Delta Grow Seed Co.	DG48XF70STS	32.6	1	0	0	13.2	58.1
Revere	49-F36	28.6	1	0	2	12.3	57.2
Revere	48-F99	25.0	1	0	1	12.2	56.8
Gateway	487XFS	24.6	1	0	0	11.6	55.7
NK Seeds	NK47-U1XFS	22.4	1	0	1	11.9	55.6
Great Heart Seed	GT-4722XFS	21.2	1	0	1	12.3	53.7
Asgrow	AG49XF4	28.8	1	0	1	10.9	51.2
Innvictis	A4755XF	22.2	1	0	1	11.7	51.2
Progeny	P 4734XFS	21.6	1	0	1	10.7	50.6
Asgrow	AG47XF6	29.0	1	0	0	12.3	50.4
Progeny	P 4515XFS	29.0	2	0	0	11.3	47.2
Asgrow	AG43XF5	26.2	1	1	0	12.6	43.7
Delta Grow Seed Co.	DG49XF70STS	27.2	2	0	0	17.4	41.1
Innvictis	A4924XF	19.8	1	0	2	10.8	41.0
Plot Average:						**12.1**	**52.8**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Lee County – Non-Irrigated Maturity Group V XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
NK Seeds	NK52-M2XFS	35.0	4	0	0	8.9	48.8
Great Heart Seed	GT-5110XF	24.0	1	0	2	9.3	48.5
Progeny	P 5221XFS	36.0	1	0	0	9.9	47.3
Asgrow	AG54XF6	33.0	2	0	0	9.5	46.5
Asgrow	AG50XF5	27.0	1	0	3	8.9	46.4
Asgrow	AG55XF5	36.0	2	0	2	9.8	40.3
Asgrow	AG54XF5	34.0	1	0	0	9.0	39.1
Dyna-Gro	S52XF76	26.0	1	0	2	8.9	37.5
Innvictis	A5226XFS	34.0	2	0	0	8.5	33.5
Plot Average:						**9.2**	**43.1**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Lee County – Non-Irrigated Maturity Group IV XtendFlex & Enlist E3							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Dyna-Gro	S48ES56	35.0	2	0	0	7.9	50.0
Innvictis	A4534XF	32.0	1	0	0	8.8	46.0
NK Seeds	NK47-U1XFS	37.0	2	0	0	8.1	45.7
Progeny	P 4724XFS	33.0	2	0	0	7.2	45.4
Pioneer	P48Z73	35.0	3	0	0	8.2	42.4
NK Seeds	NK47-G5E3S	32.0	1	0	0	7.9	41.6
Pioneer	P45Z75	32.0	4	1	0	8.3	38.6
Dyna-Gro	S46XF26	35.0	2	0	0	8.5	34.7
Plot Average:						**8.1**	**43.1**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Leflore County – Irrigated Maturity Group IV (Mixed/Light Soil) XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
NK Seeds	NK47-U1XFS	42.0	3	0	7	17.6	95.0
Great Heart Seed	GT-4722XFS	43.6	3	0	5	16.2	92.4
Innvictis	A4755XF	40.6	4	0	5	19.0	91.5
Revere	46-F17	43.6	4	0	4	11.5	89.5
Progeny	P 4734XFS	41.2	5	0	4	13.8	86.9
Great Heart Seed	GT-4632XFS	42.0	2	0	1	12.0	86.3
Asgrow	AG49XF4	39.6	2	0	2	12.6	86.1
Dyna-Gro	S45XF47	37.0	4	0	1	10.3	85.8
Progeny	P 4556XFS	39.0	4	0	2	12.5	84.8
Innvictis	A4924XF	33.0	3	0	6	12.4	84.2
Asgrow	AG48XF6	44.5	2	0	1	13.3	84.1
Asgrow	AG43XF5	36.0	3	0	0	12.8	84.0
Delta Grow Seed Co.	DG49XF70STS	36.2	3	0	4	13.8	82.0
Delta Grow Seed Co.	DG48XF70STS	46.0	4	0	3	13.1	80.3
Gateway	457XFS	44.0	4	0	3	12.3	80.2
Asgrow	AG49XF6	41.4	2	0	3	13.0	74.4
Asgrow	AG47XF6	47.8	3	0	5	12.6	72.3
Plot Average:						**13.5**	**84.7**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Lowndes County – Non-Irrigated Maturity Group IV (Clay Soils) XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Revere	49-F36	26.4	3	0	0	11.9	65.5
Gateway	487XFS	25.0	2	0	0	11.1	63.0
Revere	48-F99	27.2	3	0	0	10.6	62.8
Asgrow	AG49XF6	29.0	1	0	1	13.2	59.7
Delta Grow Seed Co.	DG48XF70STS	30.8	2	0	0	12.2	59.7
Dyna-Gro	S46XF26	32.8	3	0	0	8.7	59.0
Innvictis	A4755XF	20.8	1	0	0	12.0	58.3
Delta Grow Seed Co.	DG49XF70STS	22.8	2	0	0	12.4	56.6
Progeny	P 4515XFS	29.0	2	0	0	7.1	56.2
Asgrow	AG43XF5	26.0	1	0	0	12.0	56.1
Asgrow	AG49XF4	27.8	1	0	0	11.3	55.8
Asgrow	AG47XF6	28.8	1	0	0	16.6	55.5
NK Seeds	NK47-U1XFS	22.4	1	0	0	10.3	54.7
Asgrow	AG48XF6	29.6	2	0	0	13.5	52.9
Innvictis	A4924XF	22.0	1	0	0	12.8	52.9
Great Heart Seed	GT-4722XFS	19.8	1	0	0	10.7	52.2
Progeny	P 4734XFS	23.6	2	0	0	10.3	50.3
Plot Average:						**11.6**	**57.1**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Lowndes County – Non-Irrigated Maturity Group V XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
NK Seeds	NK52-M2XFS	29.4	1	0	1	12.1	67.3
Asgrow	AG50XF5	24.8	1	0	1	11.5	61.4
Asgrow	AG54XF5	18.8	1	0	3	16.0	60.7
Dyna-Gro	S52XF76	29.4	1	0	1	16.0	60.1
Innvictis	A5226XFS	27.6	1	0	2	12.5	59.2
Asgrow	AG54XF6	25.4	1	0	3	18.0	56.1
Progeny	P 5221XFS	24.6	1	0	1	14.3	55.3
Great Heart Seed	GT-5110XF	25.0	2	0	0	16.2	52.6
Asgrow	AG55XF5	27.6	1	0	1	16.7	49.4
Plot Average:						**14.8**	**58.0**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Madison County – Non-Irrigated Maturity Group IV Enlist E3							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Pioneer	P48Z73	34.0	2	0	3	13.2	70.1
Pioneer	P48Z35	35.8	3	0	2	12.1	69.2
Pioneer	P45Z75	33.0	3	0	0	12.0	65.7
Dyna-Gro	S48ES56	40.8	4	0	2	13.8	64.8
Pioneer	P43Z44	28.8	2	0	0	12.8	64.7
Great Heart Seed	GT-4655ES	32.0	3	0	0	12.7	61.0
Great Heart Seed	GT-4752E	34.8	4	0	1	13.2	58.3
Pioneer	P45Z21	32.8	2	0	0	13.4	58.0
Innvictis	A4744E	35.6	4	0	1	12.6	57.5
Innvictis	A4553E	28.6	2	0	0	14.1	50.7
Plot Average:						**13.0**	**62.0**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Monroe County – Non-Irrigated Maturity Group V XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
NK Seeds	NK52-M2XFS	32.2	2	0	0	12.2	63.0
Innvictis	A5226XFS	28.6	1	0	0	11.4	61.9
Asgrow	AG50XF5	33.0	2	1	0	11.7	57.2
Great Heart Seed	GT-5110XF	29.2	2	0	0	11.3	54.7
Dyna-Gro	S52XF76	28.4	1	0	0	10.3	54.4
Asgrow	AG54XF6	31.4	1	0	0	11.0	52.9
Asgrow	AG55XF5	25.8	2	0	0	10.8	47.5
Asgrow	AG54XF5	35.2	2	0	0	11.9	47.0
Progeny	P 5221XFS	36.2	2	0	0	11.8	45.8
Plot Average:						**11.4**	**53.8**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Noxubee County – Irrigated Maturity Group IV EARLY XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Asgrow	AG42XF6	22.4	1	6	6	10.5	34.6
Asgrow	AG41XF6	22.6	1	6	4	11.6	28.3
Asgrow	AG43XF5	27.4	1	6	3	9.7	26.4
NK Seeds	NK42-Y2XFS	25.2	1	6	7	10.8	24.6
Dyna-Gro	S43XF85	28.6	1	6	2	9.5	23.9
Great Heart Seed	GT-4460XF	26.0	1	6	3	9.5	23.1
Innvictis	A4534XF	21.2	1	6	2	9.2	22.6
Revere	44-F44	28.2	1	6	2	8.1	21.4
Gateway	441XFS	28.0	1	6	3	10.1	21.2
Plot Average:						**9.9**	**25.1**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Noxubee County – Non-Irrigated Maturity Group IV (Clay Soil) XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Asgrow	AG49XF6	30.8	1	0	3	11.8	71.6
Revere	48-F99	37.8	1	0	0	9.7	69.1
Revere	49-F36	26.2	3	0	1	10.9	65.4
Asgrow	AG48XF6	29.2	1	0	1	14.0	65.3
Asgrow	AG43XF5	25.6	0	2	5	9.5	64.6
Delta Grow Seed Co.	DG48XF70STS	29.6	0	1	2	11.9	64.5
Gateway	487XFS	37.2	2	1	1	11.3	64.4
Asgrow	AG47XF6	28.6	2	1	2	9.5	63.8
Asgrow	AG49XF4	28.4	1	0	0	10.2	63.8
Dyna-Gro	S46XF26	33.2	1	1	1	9.0	61.5
Innvictis	A4924XF	32.4	1	1	0	10.5	61.4
Delta Grow Seed Co.	DG49XF70STS	33.8	0	1	2	10.2	61.3
Great Heart Seed	GT-4722XFS	29.8	0	0	2	10.0	60.7
NK Seeds	NK47-U1XFS	27.2	0	0	3	10.5	60.6
Progeny	P 4515XFS	31.4	2	1	0	9.9	60.6
Progeny	P 4734XFS	26.4	1	0	1	10.7	59.0
Innvictis	A4755XF	27.0	0	0	1	10.1	58.6
Plot Average:						**10.6**	**63.3**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Noxubee County – Non-Irrigated Maturity Group IV Enlist E3							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Pioneer	P48Z35	32.6	-	-	-	11.0	77.4
Pioneer	P48Z73	30.6	-	-	-	10.1	75.3
Pioneer	P45Z75	29.2	-	-	-	11.1	74.1
Dyna-Gro	S48ES56	32.4	-	-	-	11.8	73.5
Pioneer	P43Z44	25.8	-	-	-	10.7	70.0
Great Heart Seed	GT-4752E	34.0	-	-	-	10.6	69.2
Pioneer	P45Z21	25.8	-	-	-	9.7	68.3
Great Heart Seed	GT-4655ES	31.8	-	-	-	11.0	64.7
Innvictis	A4744E	32.8	-	-	-	11.2	61.3
Innvictis	A4553E	25.4	-	-	-	9.6	59.0
Plot Average:						**10.7**	**69.3**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Noxubee County – Irrigated Maturity Group IV XtendFlex & Enlist E3							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Progeny	P 4724XFS	20.8	1	6	0	9.2	26.3
Dyna-Gro	S48ES56	24.6	1	6	0	9.0	25.8
Pioneer	P45Z75	23.0	1	6	4	7.6	25.8
Dyna-Gro	S46XF26	29.4	1	6	4	9.6	24.5
Innvictis	A4534XF	22.2	1	6	3	10.1	23.2
NK Seeds	NK47-U1XFS	22.6	1	6	0	8.7	23.1
Pioneer	P48Z73	24.0	1	6	0	8.4	22.7
NK Seeds	NK47-G5E3S	30.2	1	6	2	8.5	21.8
Plot Average:						**8.9**	**24.2**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Oktibbeha County – Non-Irrigated Maturity Group IV EARLY XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Innvictis	A4534XF	33.6	2	0	0	10.9	59.3
Asgrow	AG42XF6	37.8	1	0	1	12.5	53.4
Asgrow	AG41XF6	36.2	1	0	0	14.1	52.6
Gateway	441XFS	35.0	3	0	0	10.2	51.8
Asgrow	AG43XF5	37.4	1	0	0	11.9	50.8
Revere	44-F44	38.0	1	0	0	11.8	50.3
NK Seeds	NK42-Y2XFS	33.4	1	0	1	12.8	47.2
Dyna-Gro	S43XF85	33.2	1	0	0	10.9	46.4
Great Heart Seed	GT-4460XF	37.4	2	0	0	12.9	45.5
Plot Average:						**12.0**	**50.6**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Oktibbeha County – Non-Irrigated Maturity Group V XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Dyna-Gro	S52XF76	35.6	2	0	0	13.2	69.3
Asgrow	AG50XF5	34.8	3	0	0	13.8	66.9
Asgrow	AG54XF5	35.4	2	0	0	13.1	65.9
Great Heart Seed	GT-5110XF	36.4	2	0	0	11.7	65.8
Asgrow	AG55XF5	43.2	2	0	0	13.2	64.4
NK Seeds	NK52-M2XFS	34.2	3	0	0	14.4	64.3
Progeny	P 5221XFS	27.8	3	0	0	13.2	64.2
Asgrow	AG54XF6	32.0	2	0	0	14.1	61.9
Innvictis	A5226XFS	36.2	1	0	0	15.9	61.5
Plot Average:						**13.6**	**64.9**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Oktibbeha County – Irrigated Maturity Group IV Enlist E3							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Dyna-Gro	S48ES56	38.3	3	0	4	13.9	69.1
Pioneer	P45Z75	36.8	3	0	0	11.7	66.5
Pioneer	P43Z44	31.1	1	0	1	14.0	62.6
Pioneer	P48Z35	36.0	2	0	1	13.1	62.3
Pioneer	P45Z21	32.4	2	0	1	12.3	61.6
Innvictis	A4744E	38.6	2	0	4	15.7	61.1
Great Heart Seed	4752E	43.1	4	0	2	12.1	60.4
Pioneer	P48Z73	33.9	2	0	1	11.4	59.9
Great Heart Seed	4655ES	35.1	1	0	1	11.8	56.1
Innvictis	A4553E	32.4	2	0	1	11.8	54.5
Plot Average:						**12.8**	**61.4**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Oktibbeha County – Irrigated Maturity Group IV XtendFlex & Enlist E3							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
NK Seeds	NK47-G5E3S	37.8	2	0	1	12.1	55.1
Pioneer	P45Z75	33.8	2	0	0	10.9	54.1
Dyna-Gro	S48ES56	37.4	2	0	2	11.5	53.1
NK Seeds	NK47-U1XFS	32.9	1	0	3	12.2	51.9
Dyna-Gro	S46XF26	40.3	3	0	2	13.4	49.8
Progeny	4724XFS	33.5	2	0	1	10.9	48.2
Innvictis	A4534XF	35.4	2	0	1	9.7	47.6
Pioneer	P48Z73	31.6	2	0	0	9.3	40.9
Plot Average:						**11.3**	**50.1**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Pontotoc County – Non-Irrigated Maturity Group V XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
NK Seeds	NK52-M2XFS	31.0	2	0	0	9.8	38.5
Innvictis	A5226XFS	35.0	2	0	0	9.0	37.9
Asgrow	AG54XF6	35.0	2	0	8	10.1	32.2
Asgrow	AG55XF5	36.0	2	0	7	9.8	30.4
Asgrow	AG50XF5	29.0	2	0	0	8.7	30.3
Dyna-Gro	S52XF76	35.0	1	0	0	9.9	29.0
Asgrow	AG54XF5	33.0	2	0	8	9.4	28.7
Progeny	P 5221XFS	33.0	2	0	0	9.8	26.6
Great Heart Seed	GT-5110XF	29.0	2	0	0	10.0	23.3
Plot Average:						**9.6**	**30.8**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Pontotoc County – Non-Irrigated Maturity Group IV Enlist E3							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Pioneer	P43Z44	36.0	1	1	0	9.0	31.7
Innvictis	A4553E	35.0	1	0	0	9.5	30.5
Pioneer	P48Z35	30.0	2	0	0	9.2	28.7
Pioneer	P48Z73	30.0	3	0	0	9.2	28.7
Pioneer	P45Z75	33.0	1	0	0	9.1	27.8
Dyna-Gro	S48ES56	37.0	3	0	0	9.2	25.9
Pioneer	P45Z21	33.0	1	0	0	9.7	24.8
Great Heart Seed	GT-4752E	31.0	2	0	0	8.5	24.1
Innvictis	A4744E	34.0	2	0	0	9.6	23.4
Great Heart Seed	GT-4655ES	33.0	1	0	0	8.3	21.3
Plot Average:						**9.1**	**26.7**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.

[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Rankin County – Non-Irrigated Maturity Group V XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
NK Seeds	NK52-M2XFS	25.0	1	3	1	10.8	47.1
Asgrow	AG54XF5	27.0	1	0	0	10.1	43.3
Asgrow	AG54XF6	19.0	1	0	0	10.1	36.4
Innvictis	A5226XFS	28.0	1	4	0	10.9	35.7
Progeny	P 5221XFS	31.0	1	3	0	11.8	34.0
Asgrow	AG55XF5	21.0	1	0	0	13.6	33.6
Asgrow	AG50XF5	28.0	1	4	1	10.4	30.4
Great Heart Seed	GT-5110XF	26.0	1	6	0	10.6	29.3
Dyna-Gro	S52XF76	26.0	1	2	0	10.6	27.6
Plot Average:						**11.0**	**35.3**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Sunflower County – Irrigated Maturity Group IV (Mixed/Light Soil) XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Great Heart Seed	GT-4632XFS	40.5	0	0	0	9.7	65.0
Revere	46-F17	39.0	0	0	0	9.5	64.9
Progeny	P 4734XFS	44.0	2	0	0	9.2	64.7
NK Seeds	NK47-U1XFS	38.0	1	0	0	8.9	64.5
Asgrow	AG49XF4	47.0	0	0	0	9.3	63.8
Asgrow	AG43XF5	38.0	0	0	0	9.4	63.7
Gateway	457XFS	41.0	0	0	0	9.4	62.9
Progeny	P 4556XFS	32.0	0	1	0	9.6	62.6
Dyna-Gro	S45XF47	42.0	1	1	0	9.7	62.4
Delta Grow Seed Co.	DG49XF70STS	35.0	0	0	0	8.6	61.9
Great Heart Seed	GT-4722XFS	36.0	0	0	0	8.7	61.1
Asgrow	AG47XF6	48.0	0	0	0	9.6	60.0
Innvictis	A4755XF	34.0	1	0	0	8.5	59.5
Innvictis	A4924XF	33.0	0	0	0	8.9	58.1
Delta Grow Seed Co.	DG48XF70STS	47.0	1	0	0	9.8	58.0
Asgrow	AG48XF6	50.0	1	0	0	8.7	57.5
Asgrow	AG49XF6	49.0	1	2	0	9.2	50.1
Plot Average:						**9.2**	**61.2**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Washington County – Irrigated Maturity Group IV EARLY XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Innvictis	A4534XF	-	2	0	0	7.4	86.8
Gateway	441XFS	-	2	0	0	7.4	83.0
Revere	44-F44	-	1	0	1	7.1	83.0
Dyna-Gro	S43XF85	-	2	0	0	7.8	81.4
Great Heart Seed	GT-4460XF	-	2	0	0	7.6	79.6
Asgrow	AG42XF6	-	1	0	1	7.0	78.9
Asgrow	AG43XF5	-	1	0	0	7.5	78.4
NK Seeds	NK42-Y2XFS	-	0	0	1	7.3	76.0
Asgrow	AG41XF6	-	1	0	0	7.8	70.1
Plot Average:						**7.4**	**79.7**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Washington County – Irrigated Maturity Group IV (Clay Soil) XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Revere	48-F99	-	5	0	0	6.5	90.2
Asgrow	AG49XF4	-	1	0	0	7.7	86.8
Progeny	P 4734XFS	-	3	0	0	7.5	83.5
Asgrow	AG43XF5	-	1	0	0	7.2	82.4
Revere	49-F36	-	1	0	0	6.7	82.1
NK Seeds	NK47-U1XFS	-	1	0	0	7.4	81.7
Gateway	487XFS	-	2	0	0	6.5	81.0
Delta Grow Seed Co.	DG48XF70STS	-	3	0	0	7.8	78.6
Asgrow	AG47XF6	-	3	0	0	7.1	78.0
Dyna-Gro	S46XF26	-	3	0	0	6.8	77.3
Innvictis	A4924XF	-	0	0	0	7.3	76.9
Delta Grow Seed Co.	DG49XF70STS	-	0	0	0	7.3	76.1
Progeny	P 4515XFS	-	2	0	0	7.3	76.0
Asgrow	AG48XF6	-	3	0	0	7.7	74.9
Asgrow	AG49XF6	-	1	0	0	7.3	73.6
Innvictis	A4755XF	-	1	0	0	7.5	70.4
Great Heart Seed	GT-4722XFS	-	3	0	0	7.9	66.0
Plot Average:						**7.3**	**78.6**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Washington County – Irrigated Maturity Group IV (Mixed/Light Soil) XtendFlex							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Innvictis	A4755XF	-	2	0	0	8.5	64.0
Innvictis	A4924XF	-	2	0	0	7.0	57.6
Asgrow	AG48XF6	-	2	0	0	8.9	57.0
Delta Grow Seed Co.	DG48XF70STS	-	2	0	0	8.9	57.0
Progeny	P 4734XFS	-	2	0	0	9.0	57.0
Great Heart Seed	GT-4722XFS	-	3	0	0	9.1	56.9
Asgrow	AG47XF6	-	5	0	0	8.9	55.2
Delta Grow Seed Co.	DG49XF70STS	-	4	0	0	9.1	55.1
Asgrow	AG49XF6	-	6	0	0	9.6	53.5
NK Seeds	NK47-U1XFS	-	3	0	0	9.0	52.1
Asgrow	AG49XF4	-	4	0	1	8.8	51.6
Revere	46-F17	-	6	0	0	8.9	42.9
Progeny	P 4556XFS	-	6	0	0	8.6	41.2
Great Heart Seed	GT-4632XFS	-	4	0	1	9.0	39.8
Asgrow	AG43XF5	-	0	0	1	8.3	34.6
Gateway	457XFS	-	5	0	0	8.6	27.7
Dyna-Gro	S45XF47	-	2	0	1	8.1	19.8
Plot Average:						**8.7**	**48.4**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Washington County – Irrigated Maturity Group IV XtendFlex & Enlist E3							
Brand	**Variety**	**Final Height**	**Lodging Score**	**Shattering Score**	**Green Stem Score**	**Seed Moisture**	**Yield[1]**
		Inches	**0 to 10[2]**	**0 to 10[2]**	**0 to 10[2]**	**%**	**bu/acre**
Pioneer	P45Z75	-	2	0	0	8.1	53.2
Innvictis	A4534XF	-	4	0	0	8.9	51.5
NK Seeds	NK47-G5E3S	-	3	0	0	8.2	51.3
Dyna-Gro	S46XF26	-	2	0	0	8.6	49.2
Dyna-Gro	S48ES56	-	1	0	0	8.4	46.8
NK Seeds	NK47-U1XFS	-	1	0	0	8.2	41.4
Pioneer	P48Z73	-	2	0	0	8.1	39.0
Progeny	P 4724XFS	-	1	0	0	8.4	38.2
Plot Average:						**8.4**	**46.3**

[1]- Soybean yield adjusted to standard moisture content of 13.0%.
[2]- Scores rated on scale of 0-10 with 0 being excellent and 10 being poor at harvest.

The information given here is for educational purposes only. References to commercial products, trade names, or suppliers are made with the understanding that no endorsement is implied and that no discrimination against other products or suppliers is intended. Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Notes:

Notes: